

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6473607").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 09:52
S2	1	(US-6473607-\$).did.	USPAT	OR	ON	2007/03/27 15:38
S3	6	(("6101173") or ("5790589") or ("5392287")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:38
S4	3	(US-5392287-\$ or US-5790589-\$ or US-6101173-\$).did.	USPAT	OR	ON	2007/03/27 15:39
S5	2	("6016312").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:44
S6	1	(US-6016312-\$).did.	USPAT	OR	ON	2007/03/27 15:44
S7	56	("5128938" "5299228" "5416435" "5428820" "5491718" "5566081" "5596571" "5678227" "5708658" "5708971" "5737323" "5740517" "5758278" "5790941" "5815043" "5815819" "5842141" "5943613").PN. OR ("6016312" "6473607").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 14:46
S8	5	S7 and (sleep near3 mode) and (reacquisition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:41
S9	3	S8 and (disabl\$3 near6 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:42

EAST Search History

S10	2	S9 and ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:42
S11	3	(US-5392287-\$ or US-5790589-\$ or US-6101173-\$).did.	USPAT	OR	ON	2007/04/01 15:22
S12	2	(US-6016312-\$ or US-6473607-\$).did.	USPAT	OR	ON	2007/04/01 15:22
S13	61	S7 or S11 or S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:22
S14	1	(sleep near3 clock near3 period) same ((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:24
S15	1	(sleep near3 clock near3 period) with ((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:24
S16	1	(sleep near3 clock near3 period) and ((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:24
S17	1	((sleep near3 interval) and (clock near3 frequency) and (inverse near3 ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:25
S18	4	(sleep near6 period) same (reference near4 clock) same (ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:33

EAST Search History

S19	124	(sleep near6 period) and (reference near4 clock) and (ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:27
S20	31	S19 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:53
S21	10	S20 and (modem or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:34
S22	137	sleep near6 period near6 (calculat\$3 or formula or equation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:33
S23	26	S22 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:34
S24	13	S23 and (modem or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:34
S25	592	ratio and ((previous or past) near3 ratio) and ((current or present) near3 ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:44
S26	256	S25 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:49

EAST Search History

S27	0	S26 and (mobile or modem) and (sleep near5 period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:46
S28	13	S26 and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:48
S29	290	reacquisition and (ratio) and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:48
S30	71	S29 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:02
S31	5	S30 and (sleep near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:59
S32	0	(reference near3 clock) and (PN near3 (sequence or code)) and ((enable or disable) with (reference near3 clock)) and (sleep near3 clock) and (contoller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:01
S33	778	(reference near3 clock) and (PN near3 (sequence or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:00
S34	574	(reference near3 clock) and (PN near3 (sequence or code)) and ((enable or disable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:01

EAST Search History

S35	14	(reference near3 clock) and (PN near3 (sequence or code)) and ((enable or disable) with (reference near3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:01
S36	2	S35 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:03
S37	623	(sleep near3 mode) and (sleep near3 clock) and (controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:03
S38	163	S37 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:16
S39	6	S38 and (PN near3 (code or sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:03
S40	2	("6735434").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 16:10
S41	1	(US-6735434-\$).did.	USPAT	OR	ON	2007/04/01 16:10
S42	3	(US-6016312-\$ or US-6473607-\$ or US-6735434-\$).did.	USPAT	OR	ON	2007/04/01 16:17
S43	0	S42 and (ratio same (average with (rising or falling)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:11

EAST Search History

S44	0	S42 and (ratio and (average with (rising or falling)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:12
S45	3218	(ratio and (average with (rising or falling)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:12
S46	1695	S45 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:18
S47	1	S46 and (sleep near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:13
S48	84	S46 and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:13
S49	84	S48 and (average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:14
S50	1	S42 and (average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:14
S51	82	(calculate same (frequency same (rising same falling)))	USPAT	OR	ON	2007/04/01 16:25
S52	20	S51 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:26

EAST Search History

S53	1	S52 and (mobile or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:18
S54	23	((calculate same frequency) and (rising and falling)).clm.	USPAT	OR	ON	2007/04/01 16:28
S55	5	S54 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:41
S56	5	S55 and ((calculate same frequency) and (rising and falling))	USPAT	OR	ON	2007/04/01 16:40
S57	5	(sleep near3 mode) and (ratio SAME (quantization near3 error))	USPAT	OR	ON	2007/04/01 16:41
S58	1	S57 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S59	3282	ratio same (IIR or (infinite near3 impulse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S60	3	S59 and (sleep near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S61	2231	(smooth\$3) same (IIR or (infinite near3 impulse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:44
S62	1863	S61 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47

EAST Search History

S63	54	S62 and (modem or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:45
S64	0	S63 and wireles	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:45
S65	1	S63 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:46
S66	3060	(IIR adj2 filter) and (average or smooth\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S67	871	(IIR adj2 filter) same (average or smooth\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S68	457	(IIR adj2 filter) with (average or smooth\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S69	87	S68 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:47
S70	7	S69 and (wireless or cdma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:48
S71	1	(US-5642377-\$).did.	USPAT	OR	ON	2007/04/01 16:49

EAST Search History

S72	2	("6735454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 16:57
S73	1	(US-6735454-\$).did.	USPAT	OR	ON	2007/04/01 16:58
S74	1	(US-6147530-\$).did.	USPAT	OR	ON	2007/04/01 16:59
S75	12	(sleep near3 frequency) with (frequency near4 drift)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S76	0	S75 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S77	14	(sleep near3 frequency) same (frequency near4 drift)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S78	0	S77 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:17
S79	137	sleep near6 period near6 (calculat\$3 or formula or equation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:23
S80	26	S79 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:23
S81	14	(sleep near3 frequency) same (frequency near4 drift)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:26

EAST Search History

S82	9	(quantization near2 error) and (sleep near5 interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:40
S83	9	S82 and (ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:41
S84	9	S83 and (timing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:41
S85	1	S84 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:41
S86	170	(clock near4 frequency) SAME (rising with falling with edge with count\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:55
S87	72	S86 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:55
S88	0	S87 and (sleep near3 interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:54
S89	5	S87 and (sleep)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:54

EAST Search History

S90	0	S87 and CDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:54
S91	59	S87 and (period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:55
S92	64	(clock near4 frequency) with (rising with falling with edge with count\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:55
S93	25	S92 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 10:04
S94	25	S93 and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 11:07
S95	406405	(sleep neaar3 interval) and (ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 10:03
S96	341	(sleep near3 interval) and (ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 10:03
S97	85	S96 and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 10:04

EAST Search History

S98	0	S97 and ((previous or past) near3 ratio) and ((current or present) near3 ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 10:05
S99	541	(377/28).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 11:07
S100	64	(clock near4 frequency) with (rising with falling with edge with count\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 11:07
S101	25	S100, and @pd<"20010618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 11:07
S102	25	S101 and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 11:07
S103	1	S99 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 11:07

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | **Search Results**[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "((((quantization <near/2> error) and (sleep <near/5> interval))<in>metadata)) <..."

 [e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by **Publication year** in **Ascending** order.» **Search Options**[View Session History](#)[New Search](#)[Modify Search](#) » **Key**

Indicates full text access

IEEE JNL IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard Check to search only within this results setDisplay Format: [Citation](#) [Citation & Abstract](#)**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | **Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLOR GUIDE](#)

Results for "((((sleep <near/3> interval) and (ratio))<in>metadata)) <and> (pyr >= 1950 <...>"

 [e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by **Publication year** in **Ascending** order.

» Search Options[View Session History](#)[Modify Search](#)[New Search](#) [Check to search only within this results set](#)**Display Format:** [Citation](#) [Citation & Abstract](#)**» Key** [Indicates full text access](#)**IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the [Help pages](#) if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)[© Copyright 2006 IEEE -](#)**Indexed by**